

Dedicate Table Lamp

“From a design perspective, the Dedicate Lamp is a harmonious exploration of an iconic form, ingeniously enhancing its functionality while maintaining a strong connection to its original concept. This transformation pays homage to its predecessor, seamlessly melding tradition with innovation.”

— Thomas Bentzen




Designed by	Thomas Bentzen
About the designer	Thomas Bentzen, former Head of Design at Muuto, started his own studio in 2010. Bentzen’s designs are characterized by simplicity, rationality and functionality — always firmly rooted in the Danish design tradition, material knowledge, craftsmanship and rational industrial manufacturing processes. His work continues to receive international recognition at fairs and exhibitions all over the world.
Environment	Indoor
Description	The Dedicate Table Lamp is a contemporary take on the classic architect lamp, where design meets functionality seamlessly. Meticulously engineered, the lamp offers integrated cooling ribs, quality lighting, dimming, and an auto-turn-off feature — while guaranteeing steadiness through its flexible arms. Available in various sizes, the Dedicate Table Lamp caters to diverse lighting needs and design preferences, providing a versatile lighting solution.
Material	The lamp head and hinges are in die-casted aluminum, and the lamp arms are in extruded aluminum. All powder coated. Diffuser in injection molded plastic. Table base in machined steel. Clamp in die-casted aluminum and screw in stainless steel. Pin in machined steel screw and fixing nut. Integrated dimmable LED light source. Lumen: 750lm on 100% brightness. Lumen Maintenance (80%) : 35.000h. Kelvin: 3000K. CRI >90. The lamp comes with a built-in 8-hour timer.
Cleaning & Care	Clean the Dedicate Lamp with a soft, dry cloth only. Always switch off the electricity supply before cleaning.
Light source included	Yes
Dimmable function	Yes


Dedicate Table Lamp

Dimensions


L2
Length: 50,6 cm / 19.92"
Height: 51,6 cm / 20.3"
Width: 19 cm / 7.48"
Depth: 19 cm / 7.48"
Diameter: 10,5 cm / 4.13"



L2 w. Clamp
Length: 50,6 cm / 19.92"
Height: 49,4 cm / 19.45"
Diameter: 10,5 cm / 4.13"



L2 w. Pin
Length: 50,6 cm / 19.92"
Height: 49,4 cm / 19.45"
Diameter: 10,5 cm / 4.13"



S1
Length: 11,1 cm / 4.37"
Height: 36,8 cm / 14.5"
Width: 19 cm / 7.48"
Depth: 19 cm / 7.48"
Diameter: 10,5 cm / 4.13"




S1 w. Clamp
Length: 11,1 cm / 4.37"
Height: 34,7 cm / 13.66"
Diameter: 10,5 cm / 4.13"




S1 w. Pin
Length: 11,1 cm / 4.37"
Height: 34,7 cm / 13.66"
Diameter: 10,5 cm / 4.13"



S2
Length: 38,9 cm / 15.31"
Height: 39,8 cm / 15.7"
Width: 19 cm / 7.48"
Depth: 19 cm / 7.48"
Diameter: 10,5 cm / 4.13"



S2 w. Clamp
Length: 38,9 cm / 15.31"
Height: 37,6 cm / 14.8"
Diameter: 10,5 cm / 4.13"



S2 w. Pin
Length: 38,9 cm / 15.31"
Height: 37,6 cm / 14.8"
Diameter: 10,5 cm / 4.13"



Ready-to-ship

Black
Brown Green



Dedicate Table Lamp

Lamp rating		L2	L2 w. Clamp	L2 w. Pin	SI
	Voltage	120-240V	120-240V	120-240V	120-240V
	Frequency	50Hz	50Hz	50Hz	50Hz
	IP Rating	IP20	IP20	IP20	IP20
	Classification	II	II	II	II
	Socket	Integrated LED	Integrated LED	Integrated LED	Integrated LED
	Voltage	SI w. Clamp	SI w. Pin	S2	S2 w. Clamp
	Frequency	120-240V	120-240V	120-240V	120-240V
	IP Rating	50Hz	50Hz	50Hz	50Hz
	Classification	IP20	IP20	IP20	IP20
	Socket	II	II	II	II
		Integrated LED	Integrated LED	Integrated LED	Integrated LED
	Voltage	S2 w. Pin			
	Frequency	120-240V			
	IP Rating	50Hz			
	Classification	IP20			
	Socket	II			
		Integrated LED			

Light source specification		L2	L2 w. Clamp	L2 w. Pin	SI
	Item	Integrated LED	Integrated LED	Integrated LED	Integrated LED
	Watt	14W	14W	14W	14W
	Lumen	750lm	750lm	750lm	750lm
	Lumen Maintenance	35.000h	35.000h	35.000h	35.000h
	Kelvin	3000K	3000K	3000K	3000K
	CRI	>90	>90	>90	>90
	Dimmable	Yes	Yes	Yes	Yes
	Item	SI w. Clamp	SI w. Pin	S2	S2 w. Clamp
	Watt	Integrated LED	Integrated LED	Integrated LED	Integrated LED
	Lumen	14W	14W	14W	14W
	Lumen Maintenance	750lm	750lm	750lm	750lm
	Kelvin	35.000h	35.000h	35.000h	35.000h
	CRI	3000K	3000K	3000K	3000K
	Dimmable	>90	>90	>90	>90
		Yes	Yes	Yes	Yes
	Item	S2 w. Pin			
	Watt	Integrated LED			
	Lumen	14W			
	Lumen Maintenance	750lm			
	Kelvin	35.000h			
	CRI	3000K			
	Dimmable	>90			
		Yes			


Dedicate Table Lamp

Tests, Labels & Certifications

- Electromagnetic Compatibility
- Safety & Regulations

Electromagnetic Compatibility (EMC)

ECO Design Directive
Low Voltage Directive 2014/35 EU (LVD)
REACH
Restriction of Hazardous Substances Directive (RoHs)
Waste of Electronic and Electrical Equipment (WEEE)



[Explore Assets](#)

[DOWNLOADSITE](#)