

Manille

© Design by Dirk Wynants for Extremis, 2023




extremis®



Dimensions

The Manille is available in one dimension



490
1100
1440



690
276
1777

Box dimensions

The Manille comes in 4 boxes

Box 1: Tabletop



Box 2: benches



Box 3: Legs



Box 4: Backrests






449
663
741

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Manille	Box 1	1480	785	107	1	0,12	34,90	30,10	4,80
	Box 2	1160	390	145	1	0,07	20,60	18,20	2,40
	Box 3	843	300	139	1	0,04	13,00	11,80	1,20
	Box 4	1225	830	150	1	0,15	26,30	23,60	2,70
Total:						0,38	94,80	83,70	11,10

Connection piece - Wood

The connetion piece is available in one dimension



30 | 59

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Connection piece - Wood	Box 5	750	550	70	1	0,03	7,10	6,40	0,70

Box dimensions


The connection piece comes in 1 box

Box 5: connection piece



Connection piece - Powder coated

The connetion piece is available in one dimension



30 | 59

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Connection piece - Powder coated	Box 6	750	550	70	1	0,03	5,00	4,00	1,00

Box dimensions


The connection piece comes in 1 box

Box 6: connection piece





Multiple Manilles connected with connection pieces

Adding a connection piece and an extra table always results in a 1731 cm extension



Soft shade


The soft shade is available in one dimension



Box dimensions


The soft shade comes in 1 tube

Box 7: Soft shade





Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Shade	Box 7	2000	105	105	1	0,02	9,00	7,00	2,00

Multiple Manilles with removable shade
Adding a Manille with removable shade always results in a 1731 cm extension



Fixed shade

The fixed shade is available in one dimension
The floor fastening is supplied (screws not included)




268

1720

Fixed shade box

The fixed shade comes in 1 tube

Box 8: Fixed shade



1781




2159

2416

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Fixed shade	Box 8	2380	530	90	1	0,11	26,00	24,00	2,00

Floor fastening

The floor fastening is available in one dimension



Box dimensions

The floor fastening comes in 1 box


Box 9: floor fastening



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Floor fastening	Box 9	160	120	110	1	0,01	0,63	0,53	0,10

Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world,
plesae review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements



Materials & colors

Check price list or www.extremis.com for current materials & colors

Tabletop & benches



Hellwood

Frame




Galvanized steel

Soft shade poles



Stainless steel 316

Soft shade fabric



White
High-tech polyester

Legs & fixed shade poles



Earth (RGB 88 88 84)
Structured powder coating



Copper brown (RAL8004)
Structured powder coating



Cosmic cream (RAL1015)
Structured powder coating



Pistache (RAL6021)
Structured powder coating

Fixed shade fabric



Light ivory RAL1015
Glamping tent fabric




Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
Hellwood tabletop & benches	 - Durability CLASS 1 - Carries the PEFC™ label for durable forestry - Feels comfortable in all weather conditions - Advisable to oil the wood	30	n.a.	600 kg/m³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel frame	- Most durable method for protecting metal from rusting - Protective layer - Very long life span 100% recyclable - Cradle to Cradle Certified™	2,50	50 - 100	7,50 10³kg/m³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN-EN13501-1 A1 *
Structured powder coated stainless steel legs	- Easy to clean - Stainless steel (for protection against rust), then powder coated - More scratch-resistant than non structured powder coated	2 - 8	80	8,00 10³kg/m³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A1 *
High-tech polyester fabric (soft shade)	- Excellent resistance to marine environments - Excellent tear strength and dimensional stability - Easy upkeep with soapy water or Cleaner 500 - Up to 28% natural light transmission	0,45	n.a.	380 gr/m²	Outdoor & indoor	n.a.	Very good: Elab < 3 UVA 340 / 2000h***	M2 & B1
Stainless steel poles (soft shade)	- High rusting resistance - Periodical maintenance required	2	n.a.	8,00 10³kg/m³	Outdoor & indoor	n.a.	Very good	NEN-EN13501-1 A1 *
Glamping tent fabric (fixed shade)	- Deluxe dull embossing - Effortless maintenance - UV resistant and flame retardant - Super Opaque	0,50	n.a.	650 gr/m²	Outdoor & indoor		7/8 (ISO 105-B02)	M2 & B1

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

Good to know

- PEFC™ certified wood originates from sustainably managed forests.
- We strongly recommend using floor fastening when combining Manille with the fixed shade
- A configuration of six Manilles with connection pieces fits on a high cube pallet.



Wheelchair accessible

Manille is wheelchair accessible on both ends of the table.



Certificates

- PEFC
- Cradle to Cradle
- BIFMA (Desk and Table Products / Lounge and Public Seating)

Maintenance

POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

GALVANIZED PARTS

- Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

WOOD

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

RECOMMENDED USE

- For Extremis Wood protector:

		
2 to 3 wood care treatments	1 wood care treatment	450 - 500 ml for one Manille

PARASOL FABRICS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

STAINLESS STEEL

- Clean regularly with a dry cloth and some stainless steel cleaner.

F.A.Q.

Q: Do you need to oil the wood?

A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not stand or jump on the table.
- Do not drag the table, but carry it with minimum 2 people.
- Max. 2 people or 300 kg per bench.

Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- Clean regularly with mild detergent. Never use

a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.

- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding - NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason,

they are assumed to be capable of satisfying all requirements of all lower classes as well.

- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

Parasol fabrics

- We advise to clean frequently.
- Keep in mind that white is a more sensitive color.

Stainless steel

- Very good UV color fastness.
- Flame retarding: NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Watch out, stainless steel isn't entirely rustproof! Be sure to avoid contact with iron objects. If it does show signs of rust, clean with rust remover as quickly as possible.

extremis®



Manille



Design

© Design by Dirk Wynants for Extremis, 2023

Furniture awards

- Prize Designs For Modern Furniture, 2023
- iF design award – Winner, 2024

Extremis awards

- Henry Van De Velde Award, 2001
- Hermes Creative Award, 2002
- De Leeuw van de Export Award, 2003
- Design Management Europe Award, 2007
- Unizo KMO Laureaat, 2008
- Green Good Design Award, 2013
- Sustainable Enterprise, POM Vlaanderen, 2016

Text

Manille is a perfect blend of practicality and joy. Designed as a table-bench formation, this picnic table comfortably accommodates up to four people, while the head of the table is reserved for wheelchair users - making Manille an inclusive and accessible table for everyone.

The fixed benches give an uncluttered look to the design and a slight incline offers extra seating comfort. With a joyous design available in different colors, Manille adds a touch of coziness and personality to any (outdoor) space. But don't let its fun-loving design fool you. Manille is built to last, with the highest-quality materials that ensure durability and long-lasting performance. And by the way, Manille comes in flatpack boxes, minimizing its environmental footprint. The space-efficient transport during all phases of production absolutely contributes to the product's sustainability.

With a parasol system simply sliding into the backrests, the Manille picnic table effortlessly becomes a cozy cocoon, protected from the sun.

- Consists of one element with two benches with a wooden seating surface
- Stainless steel legs that attach the table to the bench
- Robust, durable materials (suitable for intensive use in public spaces)
- One dimension (4 people)
- Backrest included
- Four access zones
- Link multiple tables seamlessly, thanks to the coupling piece
- Tabletop and benches made from sustainability category 1 “thermally treated wood” (European Ash wood - Hellwood) with PEFC label.
- Tabletop and benches fully supported by a galvanized steel frame.
- Legs made from structured powder coated stainless steel (Earth, Copper brown RAL8004, Cosmic cream RAL1015 & Pistache RAL6021 as standard, custom color possible on request)
- Low maintenance
- Suitable for indoors and outdoors
- Optional sun protection (Manille shade)
- Optional floor fastening
- Weight: 84 kg

More info: www.extremis.com/en/collections/manille

Construction

Tabletop:

- Wooden sections of Hellwood (standard PEFC label)
- Supporting frame made from hot dip galvanized steel

Benches:

- Wooden sections of Hellwood (standard PEFC label)
- Supporting frame made from hot dip galvanized steel
- Max. 2 people or 300 kg per bench

Legs & backrest supports:

- Structured powder coated stainless steel
- Standard colors: Earth, Copper brown RAL8004, Cosmic cream RAL1015 & Pistache RAL6021 as standard, custom color possible on request (RAL colors only).

Optional coupling: Wooden sections of Hellwood (standard PEFC label) + Hot dip galvanized steel frame

Optional shade: High-tech polyester fabric + Stainless steel 316 poles

Optional set of 2 ground fastenings: stainless steel 316

Materials info

Hellwood:

- Hellwood is a European ash that is thermally treated, durability class 1
- PEFC label for sustainable forest management
- Thickness of benches and tabletop: 30 mm (+- 2 mm)
- Density of tabletop and benches: 600 kg/m³
- Suitable for indoors and outdoors
- The wood is untreated on delivery; untreated wood turns grey in color over time
- Natural product with a warm appearance
- Very quick drying time after a rain shower
- Feels comfortable in all weather conditions
- If the wood is stained or scratched, this can be removed by lightly sanding the wood. It is recommended to oil the wood annually for easier maintenance and to counteract the greying effect.


Hot dip galvanized steel (table frame, bench, legs and back support):

- Hot dip galvanizing provides a protective layer
- Longlasting
- Low maintenance
- 100% recyclable
- Cradle to Cradle Certified
- Thickness of tabletop and bench: 2-6 mm
- Thickness of legs and back support: 8 mm
- Layer thickness 50-100 microns
- Density: 7.5 10³kg/m³
- Outdoors and indoors
- Very good UV-resistance, galvanized steel will be less shiny over time
- Flame retarding (NEN-eN13501-1 A1)
- Galva Power C2C certificate

Structured powder coated stainless steel legs:

- Low maintenance
- Stainless steel for protection against rust and then powder coated with textured coating
- More scratch resistant than non-textured coatings
- Steel wall thickness: 2 mm
- Powder coating layer thickness: 50-100 microns
- Outdoors and indoors
- Very good UV fastness
- Flame retarding (NEN-eN13501-1 A1)

Dimensions



Weight and transport volume

- Gross weight: 95 kg – Net weight 84 kg – Volume 0,38 m³

View more details on the technical factsheet at <https://www.extremis.com/en/product-downloads/manille>

Standards

- NEN-EN13501-1 A (Inox and galvanized steel, flame retarding)

Certificates

- BIFMA from TÜV
- PEFC (PEFC/07-31-433)
- Cradle to Cradle

Guarantee

The entire Extremis collection has a 2-year guarantee, based on the provisions in our general guarantee terms & conditions.

Maintenance

Wood

- Little maintenance required, but the better it is treated, the longer it will last.
- Regularly/after use: wet cloth.
- To remove stubborn dirt residue use a hard brush and water.
- Once or twice per year: clean thoroughly. We recommend that this is done in the spring and just before winter.
- Oil before the first use and once per year. An oiled table will absorb liquids less quickly and therefore remains clean for longer.
- Every 2 to 4 years: sand the wood with a sander and sandpaper with grain 120. After a few years, the wood will display cracks and can become slightly misshapen. This is perfectly normal as wood is a natural and living material. The great advantage of solid wood is that you can sand down the top surface to make the surface even and smooth once more. Use a hand sander for this (do it on a dry day).
- Any cracks can be hand sanded. Use 120-grain sandpaper for this. Be careful not to permanently damage the fibers. It is for this reason that a high-pressure washer should never be used to clean wood.

Frame/legs:

Regular cleaning with lukewarm water and mild cleaning product. Use a soft brush to remove any caked-on dirt.

More info: <https://www.extremis.com/maintenance>

Applications

- Indoor
- Outdoor
- Residential
- Businesses
- Hospitality
- Educational institutions
- Healthcare
- Public spaces

Assembly

Integrated packaging design reduces assembly time and the packaging for the legs can serve as an assembly table. For more info please see manual:

<https://www.extremis.com/en/product-downloads/manille>