Distributeur SUISSE
ROD
REACTIV OFFICE DESIGN
+41 22 797 05 12
www.rod-design.ch

Eggboard

Artemide®

Eggboard

Giacobone & Roj - Progetto CMR 2014

Eggboard is a resounding innovation, offering an efficient lighting solution with sound-absorbing properties. The intelligent fabric minimizes sound reflection and echo in a space, a feature that makes a difference in open spaces, especially in workspaces. Crafted of PET, a high quality material molded into a shape inspired from cardboard egg packaging, Eggboard is available in various colors, bringing a design accent to any office or commercial space.

Artemide
App



For further information on Eggboard® visit artemide.com

Design Office Stuttgart Tower, Stuttgart | 2016



Excent Offices, project by ODDOS, Pujaudran (France) | 2017

Design Office Stuttgart Tower, Stuttgart | 2016



Samuel Creations, Dubai (UAE) | 2017

Eggboard typologies

SUSPENSION

EGGBOARD MATRIX
1600X800

EGGBOARD ACOUSTIC
1600X800

EGGBOARD MATRIX
800X800

EGGBOARD ACOUSTIC
800X800

CEILING



EGGBOARD BAFFLE
1600X400

EGGBOARD BAFFLE
800X400

SUSPENSION



EGGBOARD BAFFLE
1600X400

EGGBOARD BAFFLE
800X400



EGGBOARD ACOUSTIC
1600X400
1600X800

EGGBOARD CIRCLE
Ø 57
Ø 97

WALL / CEILING ACUSTIC PANEL

EGGBOARD 1600 X 800

Acoustic panel without light emission



EGGBOARD 1600 X 400

Acoustic panel without light emission



EGGBOARD 800 X 800

Acoustic panel without light emission



EGGBOARD 800 X 400

Acoustic panel without light emission



Eggboard Matrix



Suspension appliance with sound-absorbing properties ensured by an unusual sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material.

Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener.

Direct emission: a board with a high number of low-voltage LEDs ensures maximum lighting comfort.

Reflectors can be rotated for use on single or counterposed double desk.

Complies with the norms on office activities that involve the use of video-terminals (UGR<19).

Available in 3 colours (white, grey, green) and 2 different sizes (1600X800mm - 800X800mm).

Giuntini Headquarters, project by and studio architects, Peccioli (PI), | 2020

EGGBOARD MATRIX 1 DESK







Rotating the elliptic-beam reflector along the Y axis allows to use the product to illuminate one workstation.

UGR < 12



EGGBOARD MATRIX 2 DESK







Rotating the elliptic-beam reflector along the X axis allows to use the product to illuminate two workstations.

UGR < 17





EGGBOARD ACOUSTIC PANEL



The sound-absorbing material acts by reducing the reverberation time (i.e. the time required to reduce any noise inside the room by 60 db, so as to ensure that any echoes due to reflections on the walls are inaudible).

The frequency of human voice typically ranges from 1 to 4 kHz.

The use of materials capable to reduce these frequencies allows better understanding of speech and prevents the need to talk loudly to cover the background noise.

The sound-absorbing appliance should be located 400-600 mm off the ceiling to ensure optimal operation.

No sound-absorbing material

Noise reduction with Eggboard installed 60 cm off the ceiling





EGGBOARD MATRIX

White cream **2.** | Grey **9.** | Green **5.** | XF

220/240Vac 50/60Hz electronic ballast included.

MacAdam 3SDCM
Direct: Life L90 (10K)>60000h CRI =90
Indirect: Life L80 (10K)>55000h CRI =80

IP20
UGR<19

1600x800

Direct

W	Weight	Beam	Flux	CCT
31 W	16,5 kg	XF	2402 lm	3000 K
			2488 lm	4000 K

Dimmable DALI

Code	
M3100W.	2/9/5 **.1**
M3100N.	2/9/5 **.1**



Direct + Indirect

W	Weight	Beam	Flux	CCT
31 W direct	17,68 kg	XF	2402 lm direct 4030 lm indirect	3000 K
44 W indirect			2488 lm direct 4234 lm indirect	4000 K

Dimmable DALI

Code	
M3101W.	2/9/5 **.1**
M3101N.	2/9/5 **.1**



Without light

Weight
10 kg

Code	
M3108.	2/9/5 **.0**



800x800

Direct

W	Weight	Beam	Flux	CCT
16 W	9,20 kg	XF	1200 lm	3000 K
			1244 lm	4000 K

Dimmable DALI

Code	
M3102W.	2/9/5 **.1**
M3102N.	2/9/5 **.1**



Direct + Indirect

W	Weight	Beam	Flux	CCT
16 W direct 23 W indirect	9,70 kg	XF	1200 lm direct 2015 lm indirect	3000 K
			1244 lm direct 2117 lm indirect	4000 K

Dimmable DALI

Code	
M3103W.	2/9/5 **.1**
M3103N.	2/9/5 **.1**



Without light

Weight
5 kg

Code	
M3109.	2/9/5 **.0**





InterfaceOffices, Krefeld (Germany), ph. Bernadette Grimmenstein | 2017

Eggboard Baffle

Progetto OMR Offices, Milan, ph. Andrea Martinadonna | 2019

1
2
5
Zoso
MAGISTRETTI

Progetto CMR Offices, Milan, ph. Andrea Martiradonna | 2019

EGGBOARD BAFFLE

White cream	Grey	Green	XF
21	**91**	**51**	

220/240Vac 50/60Hz electronic ballast included.

For the suspension version, order the ceiling rose or the APP kit separately.

For the ceiling version, order only the APP kit separately.

MacAdam 3SDCM
Direct: Life L90 (10K)>60000h
CRI =90
Indirect: Life L80 (10K)>55000h
CRI =80

IP20
UGR<19

1600×400 SUSPENSION / CEILING

Direct				
W	Emission	Beam	Flux	CCT
20 W	sharp	XF	1468 lm	3000 K
			1521 lm	4000 K

Dimmable DALI
Code
AZ212. 21/91/51
AZ214. 21/91/51



1600×400 SUSPENSION

Direct + Indirect				
W	Emission	Beam	Flux	CCT
20 W	direct sharp	XF	1468 lm direct	3000 K
41 W	indirect diffused		4927 lm indirect	
			1521 lm direct	4000 K
			5147 lm indirect	

Dimmable DALI
Code
AZ222. 21/91/51
AZ224. 21/91/51

Accessories	
	Code
Canopy + 1 power cable L 210, dimmable DALI only for suspension	**AZ92000**
APP power supply kit for suspension + 1 power cable L 210	**AZ92100**
BLL DALI interface for APP	**AZ92200**

	Ceiling	**Suspension**
ND	**unnecessary**	**-**
DALI	**unnecessary**	**AZ92000**
BLL	**AZ92200**	**AZ92100**

Progetto CNR Offices, Milan, ph. Andrea Martiradonna | 2019

EGGBOARD BAFFLE

White cream	Grey	Green	XF
21	**91**	**51**	

220/240Vac 50/60Hz electronic ballast included.

For the suspension version, order the ceiling rose or the APP kit separately.

For the ceiling version, order only the APP kit separately.

MacAdam 3SDCM
Direct: Life L90 (10K)>60000h
CRI =90
Indirect: Life L80 (10K)>55000h
CRI =80

IP20
UGR<19

800x400 SUSPENSION / CEILING

Direct				
W	Emission	Beam	Flux	CCT
9 W	sharp	XF	667 lm	3000 K
			691 lm	4000 K

Dimmable DALI
Code
AZ112. 21/91/51
AZ114. 21/91/51



800x400 SUSPENSION

Direct + Indirect				
W	Emission	Beam	Flux	CCT
9 W	direct sharp	XF	667 lm direct	3000 K
17 W	indirect diffused		1971 lm indirect	
			691 lm direct	4000 K
			2059 lm indirect	

Dimmable DALI
Code
AZ122. 21/91/51
AZ124. 21/91/51

Accessories	
	Code
Canopy + 1 power cable L 210, dimmable DALI only for suspension	**AZ92000**
APP power supply kit for suspension + 1 power cable L 210	**AZ92100**
BLL DALI interface for APP	**AZ92200**

	Ceiling	**Suspension**
ND	**unnecessary**	-
DALI	**unnecessary**	**AZ92000**
BLL	**AZ92200**	**AZ92100**

EGGBOARD BAFFLE ACUSTIC PANEL

White cream **2.** | Grey **9.** | Green **5.** | XF

MacAdam 3SDCM
Direct: Life L90 (10K)>60000h
CRI =90
Indirect: Life L80 (10K)>55000h
CRI =80

IP20
UGR<19

SUSPENDED/CEILING

Acustic panel without light	Code
1600 x 800	**AZ300.** 21/91/51
1600 x 400	**AZ200.** 21/91/51

WALL/CEILING

Acustic panel without light	Code
1600 x 800	**AZ800.** 21/91/51
1600 x 400	**AZ700.** 21/91/51
800 x 800	**AZ600.** 21/91/51
800 x 400	**AZ500.** 21/91/51









Eggboard Circle

EGGBOARD CIRCLE

White cream | Blue | Green

MacAdam 3SDCM
Life L90 (10K)>60000h
CRI =90

IP20

UGR<21 Direct light
UGR<19 Direct + Indirect light

Ø 6300 mm

Direct / Direct + indirect emission			Dimmable DALI
W	Flux	CCT	Code
53 W	6229 lm Direct	3000 K	**EG10010**
	6370 lm Direct	4000 K	**EG10110**
53 W + 28 W	6229 lm Direct + 3990 lm Indirect	3000 K	**EG11010**
	6370 lm Direct + 4021 lm Indirect	4000 K	**EG11110**



Acustic panel	
Colour	Code
○ Withe Cream	EG10821
● Blue	EG10851
● Green	EG10881

Ø 9300 mm

Direct / Direct + indirect emission			Dimmable DALI
W	Flux	CCT	Code
80 W	11384 lm Direct	3000 K	**EG20010**
	11645 lm Direct	4000 K	**EG20110**
80 W + 27	11384 lm Direct + 4047 lm Indirect	3000 K	**EG21010**
	11645 lm Direct + 4078 lm Indirect	4000 K	**EG21110**



Acustic panel	
Colour	Code
○ White Cream	EG20821
● Blue	EG20851
● Green	EG20881

	Code
BLL interface for APP L 2100 mm dimmable DALI	**EG90000APP**

EGGBOARD CIRCLE COMPOSITION



BLL interface for APP
Dimmable Dali

Code example
EG90000APP

Ceiling rose with driver
White glossy

Code example
EG. 10/20. 821

Light engine
Ø 6300 mm
Ø 9300 mm

Acustic panel

Ø 6300 mm
Ø 9300 mm

Code example
EG. 10/20. 010

Eggboard Family is compatible with Artemide App

Artemide App is a user-friendly and intuitive interface used to control individual products, groups of appliances and lighting scenarios. It is a tool that can be associated with several products from both the Design and the Architectural Catalogues.

Download Artemide App
and find more information on
artemide.com

Artemide®

Headquarters

Artemide S.p.A.
Via Bergamo, 18
20010 Pregnana Milanese (MI), Italy
Tel. +39 02 93518.1
Tel. +39 02 93526.1
Numero verde 800 834 093
(from Italy only)
info@artemide.com
artemide.com

Communication and Marketing Department

Via Canova, 34
20145 Milan (MI), Italy
Tel. +39 02.349611
marketing@artemide.com
artemide.com

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Artemide S.p.A.
si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A.
reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A.
se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A.
behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildetem Produkte zu ändern.

Artemide S.p.A.
se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálgo.

2024 updated version.

For information regarding distributors and points of sale, please visit our website artemide.com or email: info@artemide.com

Eggboard Matrix - 800x800 - Direct - 3000K - Green

Progetto CMR - Giacobone & Roj

IP20 Dimmable:



LUMINAIRE

- Watt: **16W**
- Flux Lumineux (lm): **1491lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **93.20lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

Remarques

UGR<19

DESCRIPTION

Eggboard is a family of lighting solutions designed to combine high-performance illumination with effective acoustic control. A perfect balance of technology, design, and environmental well-being, resulting in fixtures that enhance both light quality and sound comfort in professional and residential spaces.
The distinctive honeycomb matrix design—inspired by the geometry of sound-absorbing surfaces—optimizes the absorption of vocal frequencies, reducing reverberation and improving speech intelligibility. This makes Eggboard ideal for open spaces, offices, meeting rooms, and coworking areas, where acoustic quality is essential for well-being and productivity.
Made from high-performance sound-absorbing materials and available in a range of finishes, Eggboard offers an innovative and sustainable lighting solution, meeting the needs of those seeking comfort, efficiency, and distinctive aesthetics.

CARACTÈRISTIQUES

- Code Produit : **M3102W51**
- Couleur: **Green**
- Installation: **Suspension**
- Séries: **Architectural Indoor**
- dessiné par: **Progetto CMR - Giacobone & Roj**

DIMENSIONS

- Longueur : **795 mm**
- Largeur: **795 mm**
- Hauteur: **250 mm**
- Poids: **kg 9,2**

Nous nous réservons le droit de modifier les spécifications de notre produit. — Last update: mars 2025
Pour les dernières informations sur le produit, visitez www.artemide.com

Eggboard Matrix - 800x800 - Direct - 3000K - Grey

Progetto CMR - Giacobone & Roj

IP20 Dimmable:



LUMINAIRE

- Watt: **16W**
- Flux Lumineux (lm): **1491lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **93.20lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

Remarques

UGR<19

DESCRIPTION

Eggboard is a family of lighting solutions designed to combine high-performance illumination with effective acoustic control. A perfect balance of technology, design, and environmental well-being, resulting in fixtures that enhance both light quality and sound comfort in professional and residential spaces.
The distinctive honeycomb matrix design—inspired by the geometry of sound-absorbing surfaces—optimizes the absorption of vocal frequencies, reducing reverberation and improving speech intelligibility. This makes Eggboard ideal for open spaces, offices, meeting rooms, and coworking areas, where acoustic quality is essential for well-being and productivity.
Made from high-performance sound-absorbing materials and available in a range of finishes, Eggboard offers an innovative and sustainable lighting solution, meeting the needs of those seeking comfort, efficiency, and distinctive aesthetics.

CARACTÈRISTIQUES

- Code Produit : **M3102W91**
- Couleur: **Grey**
- Installation: **Suspension**
- Séries: **Architectural Indoor**
- dessiné par: **Progetto CMR - Giacobone & Roj**

DIMENSIONS

- Longueur : **795 mm**
- Largeur: **795 mm**
- Hauteur: **250 mm**
- Poids: **kg 9,2**

Nous nous réservons le droit de modifier les spécifications de notre produit. — Last update: mars 2025
Pour les dernières informations sur le produit, visitez www.artemide.com

Eggboard Matrix - 800x800 - Direct - 3000K - White

Progetto CMR - Giacobone & Roj

IP20 Dimmable:



DESCRIPTION

Eggboard is a family of lighting solutions designed to combine high-performance illumination with effective acoustic control. A perfect balance of technology, design, and environmental well-being, resulting in fixtures that enhance both light quality and sound comfort in professional and residential spaces.
The distinctive honeycomb matrix design—inspired by the geometry of sound-absorbing surfaces—optimizes the absorption of vocal frequencies, reducing reverberation and improving speech intelligibility. This makes Eggboard ideal for open spaces, offices, meeting rooms, and coworking areas, where acoustic quality is essential for well-being and productivity.
Made from high-performance sound-absorbing materials and available in a range of finishes, Eggboard offers an innovative and sustainable lighting solution, meeting the needs of those seeking comfort, efficiency, and distinctive aesthetics.

LUMINAIRE

- Watt: **16W**
- Flux Lumineux (lm): **1491lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **93.20lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

Remarques

UGR<19

CARACTÈRISTIQUES

- Code Produit : **M3102W21**
- Couleur: **White Cream**
- Installation: **Suspension**
- Séries: **Architectural Indoor**
- dessiné par: **Progetto CMR - Giacobone & Roj**

DIMENSIONS

- Longueur : **795 mm**
- Largeur: **795 mm**
- Hauteur: **250 mm**
- Poids: **kg 9,2**

Nous nous réservons le droit de modifier les spécifications de notre produit. — Last update: mars 2025
Pour les dernières informations sur le produit, visitez www.artemide.com

Eggboard Matrix - 800x800 - Direct + Indirect - 3000K - Green

Progetto CMR - Giacobone & Roj

IP20 Dimmable:



LUMINAIRE

- Watt: **46W**
- Flux Lumineux (lm): **4705lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **102.28lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

Remarques

UGR<19

DESCRIPTION

Eggboard is a family of lighting solutions designed to combine high-performance illumination with effective acoustic control. A perfect balance of technology, design, and environmental well-being, resulting in fixtures that enhance both light quality and sound comfort in professional and residential spaces.
The distinctive honeycomb matrix design—inspired by the geometry of sound-absorbing surfaces—optimizes the absorption of vocal frequencies, reducing reverberation and improving speech intelligibility. This makes Eggboard ideal for open spaces, offices, meeting rooms, and coworking areas, where acoustic quality is essential for well-being and productivity.
Made from high-performance sound-absorbing materials and available in a range of finishes, Eggboard offers an innovative and sustainable lighting solution, meeting the needs of those seeking comfort, efficiency, and distinctive aesthetics.

CARACTÈRISTIQUES

- Code Produit : **M3103W51**
- Couleur: **Green**
- Installation: **Suspension**
- Séries: **Architectural Indoor**
- dessiné par: **Progetto CMR - Giacobone & Roj**

DIMENSIONS

- Longueur : **795 mm**
- Largeur: **795 mm**
- Hauteur: **250 mm**
- Poids: **kg 9,7**

Nous nous réservons le droit de modifier les spécifications de notre produit. — Last update: mars 2025
Pour les dernières informations sur le produit, visitez www.artemide.com

Eggboard Matrix - 800x800 - Direct + Indirect - 3000K - Grey

Progetto CMR - Giacobone & Roj

IP20 Dimmable:



LUMINAIRE

- Watt: **46W**
- Flux Lumineux (lm): **4705lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **102.28lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

Remarques

UGR<19

DESCRIPTION

Eggboard is a family of lighting solutions designed to combine high-performance illumination with effective acoustic control. A perfect balance of technology, design, and environmental well-being, resulting in fixtures that enhance both light quality and sound comfort in professional and residential spaces.
The distinctive honeycomb matrix design—inspired by the geometry of sound-absorbing surfaces—optimizes the absorption of vocal frequencies, reducing reverberation and improving speech intelligibility. This makes Eggboard ideal for open spaces, offices, meeting rooms, and coworking areas, where acoustic quality is essential for well-being and productivity.
Made from high-performance sound-absorbing materials and available in a range of finishes, Eggboard offers an innovative and sustainable lighting solution, meeting the needs of those seeking comfort, efficiency, and distinctive aesthetics.

CARACTÈRISTIQUES

- Code Produit : **M3103W91**
- Couleur: **Grey**
- Installation: **Suspension**
- Séries: **Architectural Indoor**
- dessiné par: **Progetto CMR - Giacobone & Roj**

DIMENSIONS

- Longueur : **795 mm**
- Largeur: **795 mm**
- Hauteur: **250 mm**
- Poids: **kg 9,7**

Nous nous réservons le droit de modifier les spécifications de notre produit. — Last update: mars 2025
Pour les dernières informations sur le produit, visitez www.artemide.com

Eggboard Matrix - 800x800 - Direct + Indirect - 3000K - White

Progetto CMR - Giacobone & Roj

IP20 Dimmable:



LUMINAIRE

- Watt: **46W**
- Flux Lumineux (lm): **4705lm**
- CCT: **3000K**
- Efficiency: **74%**
- Efficacy: **102.28lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

Remarques

UGR<19

DESCRIPTION

Eggboard is a family of lighting solutions designed to combine high-performance illumination with effective acoustic control. A perfect balance of technology, design, and environmental well-being, resulting in fixtures that enhance both light quality and sound comfort in professional and residential spaces.
The distinctive honeycomb matrix design—inspired by the geometry of sound-absorbing surfaces—optimizes the absorption of vocal frequencies, reducing reverberation and improving speech intelligibility. This makes Eggboard ideal for open spaces, offices, meeting rooms, and coworking areas, where acoustic quality is essential for well-being and productivity.
Made from high-performance sound-absorbing materials and available in a range of finishes, Eggboard offers an innovative and sustainable lighting solution, meeting the needs of those seeking comfort, efficiency, and distinctive aesthetics.

CARACTÈRISTIQUES

- Code Produit : **M3103W21**
- Couleur: **White Cream**
- Installation: **Suspension**
- Séries: **Architectural Indoor**
- dessiné par: **Progetto CMR - Giacobone & Roj**

DIMENSIONS

- Longueur : **795 mm**
- Largeur: **795 mm**
- Hauteur: **250 mm**
- Poids: **kg 9,7**

Nous nous réservons le droit de modifier les spécifications de notre produit. — Last update: mars 2025
Pour les dernières informations sur le produit, visitez www.artemide.com

Eggboard Matrix - 1600x800 - Direct - 3000K - Green

Progetto CMR - Giacobone & Roj

IP20 Dimmable:



LUMINAIRE

- Watt: **31W**
- Flux Lumineux (lm): **2982lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **96.19lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

Remarques

UGR<19

DESCRIPTION

Eggboard is a family of lighting solutions designed to combine high-performance illumination with effective acoustic control. A perfect balance of technology, design, and environmental well-being, resulting in fixtures that enhance both light quality and sound comfort in professional and residential spaces.
The distinctive honeycomb matrix design—inspired by the geometry of sound-absorbing surfaces—optimizes the absorption of vocal frequencies, reducing reverberation and improving speech intelligibility. This makes Eggboard ideal for open spaces, offices, meeting rooms, and coworking areas, where acoustic quality is essential for well-being and productivity.
Made from high-performance sound-absorbing materials and available in a range of finishes, Eggboard offers an innovative and sustainable lighting solution, meeting the needs of those seeking comfort, efficiency, and distinctive aesthetics.

CARACTÈRISTIQUES

- Code Produit : **M3100W51**
- Couleur: **Green**
- Installation: **Suspension**
- Séries: **Architectural Indoor**
- dessiné par: **Progetto CMR - Giacobone & Roj**

DIMENSIONS

- Longueur : **1595 mm**
- Largeur: **795 mm**
- Hauteur: **250 mm**
- Poids: **kg 16,55**

Nous nous réservons le droit de modifier les spécifications de notre produit. — Last update: mars 2025
Pour les dernières informations sur le produit, visitez www.artemide.com

Eggboard Matrix - 1600x800 - Direct - 3000K - Grey

Progetto CMR - Giacobone & Roj

IP20 Dimmable:



LUMINAIRE

- Watt: **31W**
- Flux Lumineux (lm): **2982lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **96.19lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

Remarques

UGR<19

DESCRIPTION

Eggboard is a family of lighting solutions designed to combine high-performance illumination with effective acoustic control. A perfect balance of technology, design, and environmental well-being, resulting in fixtures that enhance both light quality and sound comfort in professional and residential spaces.
The distinctive honeycomb matrix design—inspired by the geometry of sound-absorbing surfaces—optimizes the absorption of vocal frequencies, reducing reverberation and improving speech intelligibility. This makes Eggboard ideal for open spaces, offices, meeting rooms, and coworking areas, where acoustic quality is essential for well-being and productivity.
Made from high-performance sound-absorbing materials and available in a range of finishes, Eggboard offers an innovative and sustainable lighting solution, meeting the needs of those seeking comfort, efficiency, and distinctive aesthetics.

CARACTÈRISTIQUES

- Code Produit : **M3100W91**
- Couleur: **Grey**
- Installation: **Suspension**
- Séries: **Architectural Indoor**
- dessiné par: **Progetto CMR - Giacobone & Roj**

DIMENSIONS

- Longueur : **1595 mm**
- Largeur: **795 mm**
- Hauteur: **250 mm**
- Poids: **kg 16,55**

Nous nous réservons le droit de modifier les spécifications de notre produit. — Last update: mars 2025
Pour les dernières informations sur le produit, visitez www.artemide.com

Eggboard Matrix - 1600x800 - Direct - 3000K - White

Progetto CMR - Giacobone & Roj

IP20 Dimmable:



LUMINAIRE

- Watt: **31W**
- Flux Lumineux (lm): **2982lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **96.19lm/W**
- CRI: **90**
- Dimmable Typology: **Dali**

Remarques

UGR<19

DESCRIPTION

Eggboard is a family of lighting solutions designed to combine high-performance illumination with effective acoustic control. A perfect balance of technology, design, and environmental well-being, resulting in fixtures that enhance both light quality and sound comfort in professional and residential spaces.
The distinctive honeycomb matrix design—inspired by the geometry of sound-absorbing surfaces—optimizes the absorption of vocal frequencies, reducing reverberation and improving speech intelligibility. This makes Eggboard ideal for open spaces, offices, meeting rooms, and coworking areas, where acoustic quality is essential for well-being and productivity.
Made from high-performance sound-absorbing materials and available in a range of finishes, Eggboard offers an innovative and sustainable lighting solution, meeting the needs of those seeking comfort, efficiency, and distinctive aesthetics.

CARACTÈRISTIQUES

- Code Produit : **M3100W21**
- Couleur: **White Cream**
- Installation: **Suspension**
- Séries: **Architectural Indoor**
- dessiné par: **Progetto CMR - Giacobone & Roj**

DIMENSIONS

- Longueur : **1595 mm**
- Largeur: **795 mm**
- Hauteur: **250 mm**
- Poids: **kg 16,55**

Nous nous réservons le droit de modifier les spécifications de notre produit. — Last update: mars 2025
Pour les dernières informations sur le produit, visitez www.artemide.com