




Pirce

by
Giuseppe Maurizio Scutellà

Artemide®

Pirce

Giuseppe Maurizio Scutellà

↪ 2008

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing swirls that spiral downwards to create alluring lighting effects.







↗ Elegance

↗ Three Sizes

Pirce
Pirce Mini
Pirce Micro



↗ Two Colours

Gold
White







↗ Different Typologies

Suspension
Ceiling
Wall





↗ Versatility

The Pirce collection of ceiling, suspension, and wall models comes in three different sizes available in white or gold finishes. When these models are combined, Pirce complements any modern space with brilliant design consistency, whether residential or commercial.





Pirce Family

Materials:

Aluminum

Colours:

White, Gold

Pirce, Pirce Mini Suspension LED:

Total Power: 44W

Pirce, Pirce Mini Suspension Halo:

Total Power: 330W

Pirce Micro Suspension LED:

Total Power: 27W

Pirce Wall Halo:

Total Power: 230W

Pirce Micro Wall LED:

Total Power: 27W


Pirce, Pirce Mini Ceiling Halo:

Total Power: 330W


Pirce, Pirce Mini Ceiling LED:

Total Power: 44W


Pirce Suspension




Pirce Mini Suspension




Pirce Micro Suspension




Pirce Ceiling



Pirce Mini Ceiling



Pirce Wall



Pirce Micro Wall



Pirce Family

White

Gold

XF

10.

20.

MacAdam 3SDCM
Life L90 (6K) 50000h
CRI =90

IP20

PIRCE SUSPENSION

			HALO
W	Beam	Flux	Code
330 W	XF	4086 lm	12390.10.A
			LED 2700 K - dimmable (push)
W	Beam	Flux	Code
44 W	XF	3097 lm	1254W.10.A
			LED 3000 K - dimmable (push)
W	Beam	Flux	Code
44 W	XF	3313 lm	12541.10/20.A

PIRCE MINI SUSPENSION

			HALO
W	Beam	Flux	Code
330 W	XF	3686 lm	12370.10.A
			LED 2700 K - dimmable (push)
W	Beam	Flux	Code
44 W	XF	3097 lm	1256W.10.A
			LED 3000 K - dimmable (push)
W	Beam	Flux	Code
44 W	XF	3313 lm	12561.10/20.A

PIRCE MICRO SUSPENSION

			LED 2700 K - dimmable (push)
W	Beam	Flux	Code
27 W	XF	2573 lm	1249W.10.A
			LED 3000 K - dimmable (push)
W	Beam	Flux	Code
27 W	XF	2753 lm	12490.10/20.A

White

Gold

XF

10.

20.

MacAdam 3SDCM
Life L90 (6K) 50000h
CRI =90

IP20

PIRCE WALL

			HALO
W	Beam	Flux	Code
230 W	XF	3514 lm	12400.10.A

PIRCE MICRO WALL

			LED 2700 K - dimmable (push)
W	Beam	Flux	Code
27 W	XF	2586 lm	1248W.10.A
			LED 3000 K - dimmable (push)
W	Beam	Flux	Code
27 W	XF	2768 lm	12480.10/20.A

PIRCE CEILING

			HALO
W	Beam	Flux	Code
330 W	XF	4086 lm	12420.10.A
			LED 2700 K - dimmable (push)
W	Beam	Flux	Code
44 W	XF	3097 lm	1253W.10.A
			LED 3000 K - dimmable (push)
W	Beam	Flux	Code
44 W	XF	3313 lm	12531.10/20.A

PIRCE MINI CEILING

			HALO
W	Beam	Flux	Code
330 W	XF	3686 lm	12470.10.A
			LED 2700 K - dimmable (push)
W	Beam	Flux	Code
44 W	XF	3097 lm	1255W.10.A
			LED 3000K - dimmable (push)
W	Beam	Flux	Code
44 W	XF	3313 lm	12551.10/20.A

Headquarters

Artemide S.p.A.

Via Bergamo, 18
20010 Pregnana Milanese (MI), Italy
Tel. +39 02 93518.1
Tel. +39 02 93526.1
Numero verde 800 834 093
(Italy only)
info@artemide.com
artemide.com

Communication and Marketing Department

Via Canova, 34
20145 Milan (MI), Italy
Tel. +39 02.349611
marketing@artemide.com
artemide.com

Artemide S.p.A.
si riserva la facoltà di modificare, in qualunque
momento e senza preavviso, le caratteristiche tec-
niche degli elementi illustrati nel presente catalogo.

Artemide S.p.A.
reserves the right to change, at any time and
without prior warning, the technical specifications
of any product illustrated in this catalogue.

Artemide S.p.A.
se réserve le droit de modifier, à n'importe
quel moment et sans préavis, les caractéristiques
techniques des éléments illustrés dans ce
catalogue.

Artemide S.p.A.
behält sich das Recht vor jederzeit und ohne
Ankündigung die technischen Daten der im
Katalog abgebildeten Produkte zu ändern.

Artemide S.p.A.
se reserva la facultad de modificar, en cualquier
y sin aviso previo, las características técnicas
de los elementos ilustrados en el presente catálogo.



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018




CTF STAGE2
ISO 17025

Pirce Micro Suspension LED - 2700K - White

Giuseppe Maurizio Scutellà



IP 20    Dimmable:  +  -



LUMINAIRE

- Watt: **27W**
- Tension: **220V-240V**
- Flux Lumineux (lm): **2573lm**
- CCT: **2700K**
- Efficiency: **96%**
- Efficacy: **95.30lm/W**
- CRI: **90**
- Dimmable Typology: **Push**

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing twirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1249W10A**
- Couleur: **White**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **465 mm**
- Largeur: **480 mm**
- Hauteur: **130 mm**
- Hauteur max. du plafond: **2000 mm**
- Test au fil incandescent: **650°**

SOURCES INCLUES


- Catégorie: **Led**
- Nombre: **1**
- Watt: **27W**
- Température de Couleur (K): **2700K**
- CRI: **90**

Pirce Micro Suspension LED - 3000K - Gold

Giuseppe Maurizio Scutellà



IP 20    Dimmable:  +  -



LUMINAIRE

- Watt: **27W**
- Tension: **220V-240V**
- Flux Lumineux (lm): **2753lm**
- CCT: **3000K**
- Efficiency: **96%**
- Efficacy: **101.96lm/W**
- CRI: **90**
- Dimmable Typology: **Push**

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing twirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1249020A**
- Couleur: **Gold**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **465 mm**
- Largeur: **480 mm**
- Hauteur: **130 mm**
- Hauteur max. du plafond: **2000 mm**
- Test au fil incandescent: **650°**

SOURCES INCLUES


- Catégorie: **Led**
- Nombre: **1**
- Watt: **27W**
- Flux Lumineux (lm): **3200lm**
- Température de Couleur (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**

Pirce Micro Suspension LED - 3000K - White

Giuseppe Maurizio Scutellà



IP 20    Dimmable:  



LUMINAIRE

- Watt: **27W**
- Tension: **220V-240V**
- Flux Lumineux (lm): **2753lm**
- CCT: **3000K**
- Efficiency: **96%**
- Efficacy: **101.96lm/W**
- CRI: **90**
- Dimmable Typology: **Push**

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing twirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1249010A**
- Couleur: **White**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **465 mm**
- Largeur: **480 mm**
- Hauteur: **130 mm**
- Hauteur max. du plafond: **2000 mm**
- Test au fil incandescent: **650°**

SOURCES INCLUES


- Catégorie: **Led**
- Nombre: **1**
- Watt: **27W**
- Flux Lumineux (lm): **3200lm**
- Température de Couleur (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**

Pirce Mini Suspension LED - 2700K - White

Giuseppe Maurizio Scutellà



IP 20     Dimmable: +  -



LUMINAIRE

- Watt: **44W**
- Tension: **220V-240V**
- Flux Lumineux (lm): **3097lm**
- CCT: **2700K**
- Efficiency: **82%**
- Efficacy: **70.39lm/W**
- CRI: **90**
- Dimmable Typology: **Push**

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing twirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1256W10A**
- Couleur: **White**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **670 mm**
- Largeur: **690 mm**
- Hauteur: **230 mm**
- Hauteur max. du plafond: **2000 mm**
- Résistance à l'impact: **N/D**
- Test au fil incandescent: **650°**

SOURCES INCLUES


- Catégorie: **Led**
- Nombre: **1**
- Watt: **44W**
- Température de Couleur (K): **2700K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**

Pirce Mini Suspension LED - 3000K - Gold

Giuseppe Maurizio Scutellà



IP 20   **EAC**   Dimmable: 



LUMINAIRE

- Watt: **44W**
- Tension: **220V-240V**
- Flux Lumineux (lm): **3313lm**
- CCT: **3000K**
- Efficiency: **82%**
- Efficacy: **75.30lm/W**
- CRI: **90**
- Dimmable Typology: **Push**

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing twirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1256120A**
- Couleur: **Gold**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **670 mm**
- Largeur: **690 mm**
- Hauteur: **230 mm**
- Hauteur max. du plafond: **2000 mm**
- Résistance à l'impact: **N/D**
- Test au fil incandescent: **650°**

SOURCES INCLUES


- Catégorie: **Led**
- Nombre: **1**
- Watt: **44W**
- Flux Lumineux (lm): **4230lm**
- Température de Couleur (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**

Pirce Mini Suspension LED - 3000K - White

Giuseppe Maurizio Scutellà



IP 20    Dimmable:  +  -



LUMINAIRE

- Watt: **44W**
- Tension: **220V-240V**
- Flux Lumineux (lm): **3313lm**
- CCT: **3000K**
- Efficiency: **82%**
- Efficacy: **75.30lm/W**
- CRI: **90**
- Dimmable Typology: **Push**

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing swirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1256110A**
- Couleur: **White**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **670 mm**
- Largeur: **690 mm**
- Hauteur: **230 mm**
- Hauteur max. du plafond: **2000 mm**
- Résistance à l'impact: **N/D**
- Test au fil incandescent: **650°**

SOURCES INCLUES


- Catégorie: **Led**
- Nombre: **1**
- Watt: **44W**
- Flux Lumineux (lm): **4230lm**
- Température de Couleur (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**

Pirce Mini Suspension - White

Giuseppe Maurizio Scutellà



IP 20     Dimmable:  +0-



LUMINAIRE *

– Watt: **11W**

– Tension: **220V-240V**

* Les tensions peuvent varier en fonction de la source installée.

Les relevés photométriques sont fournis sous forme relative, et les calculs d'éclairage peuvent être mis à jour en fonction de la source réellement utilisée.

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing swirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1237010A**
- Couleur: **White**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **670 mm**
- Largeur: **690 mm**
- Hauteur: **230 mm**
- Hauteur max. du plafond: **2000 mm**
- Résistance à l'impact: **N/D**
- Test au fil incandescent: **650°**

SOURCES NON FOURNIES


- Catégorie: **LED RETROFIT**
- Nombre: **1**
- Watt: **11W**
- Culot: **R7s**

Pirce Suspension LED - 2700K - White

Giuseppe Maurizio Scutellà



IP 20    Dimmable:  +0-



LUMINAIRE

- Watt: **44W**
- Tension: **220V-240V**
- Flux Lumineux (lm): **3097lm**
- CCT: **2700K**
- Efficiency: **82%**
- Efficacy: **70.39lm/W**
- CRI: **90**
- Dimmable Typology: **Push**

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing swirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1254W10A**
- Couleur: **White**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **940 mm**
- Largeur: **970 mm**
- Hauteur: **280 mm**
- Hauteur max. du plafond: **2000 mm**
- Test au fil incandescent: **650°**

SOURCES INCLUES


- Catégorie: **Led**
- Nombre: **1**
- Watt: **37W**
- Flux Lumineux (lm): **3761lm**
- Température de Couleur (K): **2700K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**

Pirce Suspension LED - 3000K - Gold

Giuseppe Maurizio Scutellà



IP 20    Dimmable:  + 0 -



LUMINAIRE

- Watt: **44W**
- Tension: **220V-240V**
- Flux Lumineux (lm): **3313lm**
- CCT: **3000K**
- Efficiency: **82%**
- Efficacy: **75.30lm/W**
- CRI: **90**
- Dimmable Typology: **Push**

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing twirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1254120A**
- Couleur: **Gold**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **940 mm**
- Largeur: **970 mm**
- Hauteur: **280 mm**
- Hauteur max. du plafond: **2000 mm**
- Test au fil incandescent: **650°**

SOURCES INCLUES


- Catégorie: **Led**
- Nombre: **1**
- Watt: **44W**
- Flux Lumineux (lm): **4230lm**
- Température de Couleur (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**

Pirce Suspension LED - 3000K - White

Giuseppe Maurizio Scutellà



IP 20    Dimmable:  +0-



LUMINAIRE

- Watt: **44W**
- Tension: **220V-240V**
- Flux Lumineux (lm): **3313lm**
- CCT: **3000K**
- Efficiency: **82%**
- Efficacy: **75.30lm/W**
- CRI: **90**
- Dimmable Typology: **Push**

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing swirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1254110A**
- Couleur: **White**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **940 mm**
- Largeur: **970 mm**
- Hauteur: **280 mm**
- Hauteur max. du plafond: **2000 mm**
- Test au fil incandescent: **650°**

SOURCES INCLUES


- Catégorie: **Led**
- Nombre: **1**
- Watt: **44W**
- Flux Lumineux (lm): **4230lm**
- Température de Couleur (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 2SDCM**

Pirce Suspension - White

Giuseppe Maurizio Scutellà



IP 20     Dimmable: 



LUMINAIRE *

– Watt: **11W**

– Tension: **220V-240V**

* Les tensions 220V-240V peuvent varier en fonction de la source installée.

Les relevés photométriques sont fournis sous forme relative, et les calculs d'éclairage peuvent être mis à jour en fonction de la source réellement utilisée.

DESCRIPTION

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing swirls that spiral downwards to create alluring lighting effects.

CARACTÉRISTIQUES

- Code Produit : **1239010A**
- Couleur: **White**
- Installation: **Suspension**
- Matériaux: **Aluminum**
- Séries: **Design Collection**
- Environnement: **Indoor**
- Type de projet: **Résidentiels**
- Emission: **Indirecte**
- dessiné par: **Giuseppe Maurizio Scutellà**

DIMENSIONS

- Longueur : **940 mm**
- Largeur: **970 mm**
- Hauteur: **280 mm**
- Hauteur max. du plafond: **2000 mm**
- Test au fil incandescent: **650°**

SOURCES NON FOURNIES

- Catégorie: **LED RETROFIT**
- Nombre: **1**
- Watt: **11W**
- Culot: **R7s**