

Unfold Pendant Lamp

“We wanted to bring a new perspective to the classic industrial light with the Unfold Pendant Lamp, creating an expression that is at once timeless and modern. To achieve this, the design comes in a rubber silicone material for a playful and tactile character along with a matte touch. With its modern and flexible material, the Unfold Pendant Lamp can be folded into a flat box for eco-friendly shipping and a contemporary look.”

— Form Us With Love



Designed by	Form Us With Love
About the Designer	Form Us With Love is a Stockholm-based multidisciplinary design and interior architecture studio. Their work has won several prestigious awards such as the Red Dot and Young Swedish Design Awards. Further accrediting the trio are successful exhibitions at venues like MoMA and the Swedish National Gallery.
Environment	Indoor
Country of Production	China
Preassembled	Yes.
Description	The Unfold Pendant Lamp reimagines the industrial pendant with a soft, modern twist. Made from flexible silicone rubber, it offers a playful touch in vibrant colors for a lively statement. Opt for translucent to achieve a subtle, ambient glow—perfect for various home, office, and hospitality settings.
Material	The shade is made of silicone rubber, and the cord is made of PVC. The diffuser is made of clear frosted opal acrylic. The shade is formed through injection-molded liquid rubber under high temperatures. The diffuser and socket holder are cut by laser. Silicone rubber is made from silicone elastomers, and it is created with extensive flexibility, durability, strength, and a specifically calibrated translucency.
Cleaning & Care	Clean with a soft, dry, or moist cloth. Always switch off the electricity supply before cleaning.
Cord Length	350 cm / 137.8"
Light Source Included	No.
Ceiling Cap Included	Yes.
Dimmable Function	Yes.

Unfold Pendant Lamp

Dimensions

Height:	29,5 cm / 11.5"
Diameter:	32,5 cm / 12.8"
Cord Length:	350 cm / 137.8"



Ready-to-Ship

Dark Grey	
Black	
Yellow	
Light Grey	
Green	
Orange	
Mustard	
Terracotta	
Olive	
Light Yellow	
Dark Brown	
Translucent White	

Lamp Rating

Voltage	220-240V
Frequency	50Hz
IP Rating	IP20
Classification	Class II
Socket	1 x E27
	Max. 60W Type G
	Max. 20W CFL
	Max. 18W LED

Light Source Recommendation

Lamp Base	E27
Dimensions	Ø60 x 110 mm
Light Source Shape	A60
Light Source Type	LED
Max Voltage	Max. 60W Type G
	Max. 20W CFL
	Max. 18W LED

Unfold Pendant Lamp

Tests, Labels & Certifications

- Electromagnetic Compatibility
- Safety & Regulations

Electromagnetic Compatibility (EMC)

CCC
EAC Certificate
ECO Design Directive
Low Voltage Directive 2014/35 EU (LVD)
REACH
Regulatory Compliance Mark (RCM)
Restriction of Hazardous Substances Directive (RoHs)
Waste of Electronic and Electrical Equipment (WEEE)



[Explore Assets](#)

[DOWNLOAD SITE](#)